

PUBLICATIONS (Google Scholar h-index=55)

Refereed Journals:

1. **Durante W**, Sunahara FA. The possible role of PGI₂ in the PEEP-induced changes in cardiac output and blood pressure. *Aviat. Space Environ. Med.* 57:688-693, 1986.
2. Lintlop SP, **Durante W**, Sunahara FA, Sen AK. Digitalis-like biological activity in the rat cerebellum. *J. Biochem. Cell Biol.* 64:1049-1053, 1986.
3. **Durante W**, Sunahara FA. Cardiovascular effects of high frequency ventilation - the possible involvement of thromboxane. *Prostaglandins Leukotrienes Med.* 28:127-139, 1987.
4. **Durante W**, Sen AK, Sunahara FA. Impairment of endothelium-dependent relaxation in aortae from spontaneously diabetic rats. *Br. J. Pharmacol.* 94:463-468, 1988.
5. **Durante W**, Sunahara FA, Sen AK. Effect of diabetes on metabolic coronary dilatation in the rat. *Cardiovasc. Res.* 23:40-45, 1989.
6. **Durante W**, Sunahara FA, Sen AK. Alterations in atrial reactivity in a strain of spontaneously diabetic rats. *Br. J. Pharmacol.* 97:1137-1144, 1989.
7. **Durante W**, Sunahara FA, Sen AK. Altered myocardial prostaglandin production in spontaneously diabetic rats. *Prostaglandins Leukotrienes Essential Fatty Acids* 38:81-86, 1989.
8. **Durante W**, Schini VB, Scott-Burden T, Junquero DC, Kroll MH, Vanhoutte PM, Schafer AI. Platelet inhibition by an L-arginine derived substance released from interleukin-1 β treated smooth muscle cells. *Am. J. Physiol. Heart Circ. Physiol.* 261:H2024-2030, 1991.
9. **Durante W**, Kroll MH, Vanhoutte PM, Schafer AI. Endothelium-derived relaxing factor inhibits thrombin-induced platelet aggregation by inhibiting platelet phospholipase C. *Blood* 79:110-116, 1992.
10. Schini VB, **Durante W**, Elizondo E, Scott-Burden T, Junquero DC, Schafer AI, Vanhoutte PM. The induction of nitric oxide synthase activity is inhibited by TGF- β 1, PDGF_{AB}, and PDGF_{BB} in vascular smooth muscle cells. *Eur. J. Pharmacol.* 216:379-383, 1992.
11. **Durante W**, Schini VB, Catovsky S, Kroll MH, Vanhoutte PM, Schafer AI. Plasmin potentiates the induction by interleukin-1 β on nitric oxide synthesis in vascular smooth muscle cells. *Am. J. Physiol. Heart Circ. Physiol.* 264:H617-H623, 1993.
12. Schini VB, Catovsky S, **Durante W**, Scott-Burden T, Schafer AI, Vanhoutte PM. Thrombin inhibits the induction by interleukin-1 β of nitric oxide synthesis in cultured vascular smooth muscle cells. *Am. J. Physiol. Heart Circ. Physiol.* 264:H611-H616, 1993.
13. Kroll MH, Hellums JD, Guo Z, **Durante W**, Hrbolich JK, Schafer AI. Protein kinase C is activated in platelets subjected to pathological shear stress. *J. Biol. Chem.* 268:3520-3524, 1993.
14. **Durante W**, Schafer AI, Hrbolich JK, Claude RA, Mendelsohn ME, Kroll MH. Endothelium-derived relaxing factor inhibits shear stress induced platelet aggregation. *Platelets* 4:135-140, 1993.
15. Schini VB, **Durante W**, Catovsky S, Vanhoutte PM. Eicopentaenoic acid potentiates the production of nitric oxide evoked by interleukin-1 β in cultured vascular smooth muscle cells. *J. Vasc. Res.* 30:209-217, 1993.
16. Yokoyama T, Vaca L, Rossen RD, **Durante W**, Hazarika P, Mann DL. Cellular basis for the negative inotropic effect of tumor necrosis factor-alpha in the adult mammalian heart. *J. Clin. Invest.* 92:23003-23012, 1993.

17. **Durante W**, Schini VB, Kroll MH, Catovsky S, Scott-Burden T, White JG, Vanhoutte PM, Schafer AI. Platelets inhibit induction of nitric oxide synthesis by interleukin-1 β in vascular smooth muscle cells. *Blood* 83:1831-1838, 1994.
18. **Durante W**, Cheng K, Schafer AI. Cyclic nucleotide regulation of interleukin-1 β induces nitric oxide synthase expression in vascular smooth muscle cells. *Thromb. Res.* 75:63-71, 1994.
19. **Durante W**, Liao L, Schafer AI. Differential regulation of L-arginine transport and inducible nitric oxide synthase in cultured vascular smooth muscle cells. *Am. J. Physiol. Heart Circ. Physiol.* 268:H1158-H1164, 1995.
20. **Durante W**, Cheng K, Sunahara, RK, Schafer AI. Ethanol potentiates interleukin-1 β stimulated inducible nitric oxide synthase expression in cultured vascular smooth muscle cells. *Biochem. J.* 308:231-236, 1995.
21. Christodoulides N, **Durante W**, Kroll MH, Schafer AI. Vascular smooth muscle cell heme oxygenases generate guanylyl cyclase-stimulatory carbon monoxide. *Circulation* 91:2306-2309, 1995.
22. **Durante W**, Kroll MH, Orloff GJ, Cunningham JM, Scott-Burden T, Vanhoutte PM, Schafer AI. Hemostatic proteins regulate interleukin-1 β stimulated inducible nitric oxide synthase expression in cultured vascular smooth muscle cells. *Biochem. Pharmacol.* 51:847-853, 1996.
23. **Durante W**, Liao L, Iftikhar I, Cheng K, Schafer AI. Platelet-derived growth factor regulates vascular smooth muscle cell proliferation by inducing cationic amino acid transporter gene expression. *J. Biol. Chem.* 271:11838-11843, 1996.
24. **Durante W**, Liao L, Iftikhar I, O'Brien WE, Schafer AI. Differential regulation of L-arginine transport and nitric oxide production by vascular smooth muscle and endothelium. *Circ. Res.* 78:1075-1082, 1996.
25. **Durante W**, Liao L, Cheng K, Schafer AI. Selective induction of cationic amino acid transporter by tumor necrosis factor- β in vascular endothelium. *Proc. Assoc. Am. Phys.* 108:356-361, 1996.
26. **Durante W**, Kroll MH, Christodoulides N, Peyton KJ, Schafer AI. Nitric oxide induces heme oxygenase-1 gene expression and carbon monoxide production in vascular smooth muscle cells. *Circ. Res.* 80:557-564, 1997.
27. **Durante W**, Christodoulides N, Cheng K, Peyton KJ, Schafer AI. cAMP induces heme oxygenase-1 gene expression and carbon monoxide production in vascular smooth muscle cells. *Am. J. Physiol. Heart Circ. Physiol.* 273:H317-H323, 1997.
28. Wagner CT, **Durante W**, Christodoulides N, Hellums JD, Schafer AI. Hemodynamic forces induce the expression of heme oxygenase in cultured vascular smooth muscle cells. *J. Clin. Invest.* 100:589-596, 1997.
29. **Durante W**, Liao L, Peyton KJ, Schafer AI. Lysophosphatidylcholine regulates cationic amino acid transport and metabolism in vascular smooth muscle cells: role in polyamine biosynthesis. *J. Biol. Chem.* 272:30154-20159, 1997.
30. **Durante W**, Liao L, Peyton KJ, Schafer AI. Thrombin stimulates vascular smooth muscle cell polyamine biosynthesis by inducing cationic amino acid transporter and ornithine decarboxylase gene expression. *Circ. Res.* 83:217-223, 1998.
31. **Durante W**, Schafer AI. Carbon monoxide and vascular cell function. *Int. J. Mol. Med.* 2:255-262, 1998.
32. Morimoto Y, Klattenhoff J, **Durante W**, Lancaster DG, Curl RF, Tittel FK. Detection of

- carbon monoxide from biological tissue using different frequency generation in periodically-poled lithium niobate near 4.6 μm . *SPIE Proc.* 3603:30-35, 1999.
33. **Durante W**, Peyton KJ, Schafer AI. Platelet-derived growth factor stimulates heme oxygenase-1 gene expression and carbon monoxide production in vascular smooth muscle cells. *Arterioscler. Thromb. Vasc. Biol.* 19:2666-2672, 1999.
 34. Chapman GB, **Durante W**, Hellums JD, Schafer AI. Physiological cyclic stretch causes cell cycle arrest in cultured vascular smooth muscle cells. *Am. J. Physiol. Heart Circ. Physiol.* 278:H748-H754, 2000.
 35. **Durante W**, Liao L, Peyton KJ, Reyna SV, Schafer AI. Physiological cyclic stretch directs L-arginine transport and metabolism to collagen synthesis in vascular smooth muscle cells. *FASEB J.* 14:1775-1783, 2000.
 36. Tulis DA, **Durante W**, Peyton KJ, Chapman GB, Evans AJ, and Schafer AI. YC-1, a benzyl indazole derivative, stimulates vascular cGMP and inhibits neointima formation. *Biochem. Biophys. Res. Commun.* 279:649-652, 2000.
 37. Morimoto Y, **Durante W**, Lancaster DG, Klattenhoff J, Tittel FK. Real-time measurement of endogenous carbon monoxide production from vascular cells using an ultra-sensitive mid-infrared laser sensor. *Am. J. Physiol. Heart Circ. Physiol.* 280:H483-H488, 2001.
 38. **Durante W**, Liao L, Reyna SV, Peyton KJ, Schafer AI. Transforming growth factor- β 1 stimulates L-arginine transport and metabolism in vascular smooth muscle cells: role in polyamine and collagen synthesis. *Circulation* 103:1121-1127, 2001.
 39. Tulis DA, **Durante W**, Peyton KJ, Evans AJ, Schafer AI. Heme oxygenase-1 attenuates vascular remodeling following balloon injury in rat carotid arteries. *Atherosclerosis* 155:113-122, 2001.
 40. **Durante W**. Regulation of L-arginine transport and metabolism in vascular smooth muscle cells. *Cell Biochem. Biophys.* 35:19-34, 2001.
 41. Ensenat D, Hassan S, Reyna SV, Schafer AI, **Durante W**. Transforming growth factor- β 1 stimulates vascular smooth muscle cell L-proline transport by inducing system A2 (SAT2) amino acid transporter gene expression. *Biochem. J.* 360:507-512, 2001.
 42. Tulis DA, **Durante W**, Liu X, Evans AJ, Peyton KJ, Schafer AI. Adenovirus-mediated heme oxygenase-1 gene delivery inhibits injury-induced vascular neointima formation. *Circulation* 104:2710-2715, 2001.
 43. Kosterev AA, Tittel FK, **Durante W**, Allen M, Kohler R, Capasso F, Sivco DL, Cho AY. Detection of biogenic CO production above vascular cell cultures using near-room-temperature QC-DFB lasers. *Appl. Phys. B* 74:95-99, 2002.
 44. Wang H, Jiang XH, Yang F, Chapman GB, **Durante W**, Sibinga NES, Schafer AI. Cyclin A transcriptional repression is the major mechanism mediating homocysteine-induced endothelial cell growth inhibition. *Blood* 99:939-945, 2002.
 45. Tulis DA, Masters KSB, Lipke EA, Schiesser RL, Evans AJ, Peyton KJ, **Durante W**, West JL, Schafer AI. YC-1-mediated vascular protection through inhibition of smooth muscle proliferation and platelet inhibition. *Biochem. Biophys. Res. Commun.* 291:1014-1021, 2002.
 46. Liu X, Chapman GB, Wang H, **Durante W**. Adenovirus-mediated heme oxygenase-1 gene expression stimulates apoptosis in vascular smooth muscle cells. *Circulation* 105:79-84, 2002.
 47. Peyton KJ, Reyna SV, Chapman GB, Ensenat D, Liu X, Hong W, Schafer AI, **Durante W**. Heme oxygenase-1 derived carbon monoxide is an inhibitor of vascular smooth muscle

- cell growth. *Blood* 99:4443-4448, 2002.
48. Liu X, Chapman GB, Peyton KJ, Schafer AI, **Durante W**. Carbon monoxide inhibits apoptosis in vascular smooth muscle cells. *Cardiovasc. Res.* 55:396-405, 2002.
 49. Kleschyov AL, Wendt M, Munzel T, Tulis DA, **Durante W**, Liu X, Evans AJ, Peyton KJ, Schafer AI. Heme oxygenase-1-mediated protection: potential role of non-heme iron-nitric oxide complexes. Response. *Circulation* 105:e196, 2002.
 50. **Durante W**. Carbon monoxide and bile pigments: surprising mediators of vascular function. *Vasc. Med.* 7:195-202, 2002.
 51. Johnson FK, **Durante W**, Peyton KJ, Johnson RA. Heme oxygenase inhibitor restores arteriolar nitric oxide function in DAHL rats. *Hypertension* 41:149-155, 2003.
 52. Liu X, Chapman GB, Peyton KJ, Hong Wang, Schafer AI, **Durante W**. Antiapoptotic action of carbon monoxide in cultured vascular smooth muscle cells. *Exp. Biol. Med.* 228:572-575, 2003.
 53. Wang H, Jiang X, Yang F, Guabatz J, Ma L, Magera MJ, Yang FX, Berger PB, **Durante W**, Pownall HJ, Schafer AI. Hyperhomocysteinemia accelerates atherosclerosis of cystathionine beta synthase and apolipoprotein E double knockout mice with and without dietary perturbation. *Blood* 101:3901-3907, 2003.
 54. **Durante W**. Heme oxygenase-1 in growth regulation and its clinical application to vascular disease. *J. Cell. Physiol.* 195:373-382, 2003.
 55. Liu X, Ensenat D, Wang H, Schafer AI, **Durante W**. Physiologic cyclic stretch inhibits apoptosis in vascular endothelium. *FEBS Lett.* 541:52-56, 2003.
 56. Johnson RA, Teran FJ, **Durante W**, Peyton KJ, Johnson FK. Enhanced heme oxygenase-mediated coronary vasodilation in Dahl salt-sensitive hypertension. *Am. J. Hypertens.* 17:25-30, 2004.
 57. Liu X, Reyna SV, Ensenat D, Wang H, Schafer AI, **Durante W**. Platelet-derived growth factor stimulates LAT1 gene expression in vascular smooth muscle: role in cell growth. *FASEB J.* 18:766-770, 2004.
 58. Johnson FK, **Durante W**, Peyton KJ, Johnson RA. Heme oxygenase-mediated endothelial dysfunction in DOCA-salt, but not in spontaneously hypertensive rat arterioles. *Am. J. Physiol. Heart Circ. Physiol.* 286:H1681-H1687, 2004.
 59. Reyna SV, Ensenat D, Johnson FK, Wang H, Schafer AI, **Durante W**. Cyclic strain stimulates L-proline transport in vascular smooth muscle cells. *Am. J. Hypertens.* 17:712-717, 2004.
 60. Sun L, Feng S, **Durante W**, Kroll MH. Role of Pyk2-MAP kinase-cPLA₂ signaling pathway in shear-dependent platelet aggregation. *Annals Biomed. Engineering.* 32:1193-1201, 2004.
 61. Liu X, Peyton KJ, Ensenat D, Wang H, Schafer AI, Alam J, **Durante W**. Endoplasmic reticulum stress stimulates heme oxygenase-1 gene expression in vascular smooth muscle cells: role in cell survival. *J. Biol. Chem.* 280:872-877, 2005.
 62. Teran FJ, Johnson RA, Stevenson BK, Peyton KJ, Jackson KE, Appleton SD, **Durante W**, Johnson FK. Heme oxygenase-derived carbon monoxide promotes arteriolar endothelial dysfunction and contributes to salt-induced hypertension in Dahl salt-sensitive rats. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 288:R615-R622, 2005.
 63. Johnson FK, Johnson RA, Peyton KJ, **Durante W**. Arginase inhibition restores arteriolar endothelial function in Dahl rats with salt-induced hypertension. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 288:R1057-R1062, 2005.

64. Johnson FK, Johnson RA, **Durante W**. Aldosterone promotes endothelial dysfunction via prostacyclin independent of hypertension. *Hypertension*. 46:29-30, 2005.
65. Tulis DA, Keswani AN, Peyton KJ, Wang H, Schafer AI, **Durante W**. Local administration of carbon monoxide inhibits neointima formation in balloon injured rat carotid arteries. *Cell. Mol. Biol.* 51:441-446, 2005.
66. Granada JF, Ensenat D, Keswani AN, Kaluza GL, Liu X, Peyton KJ, Azam MA, Wang H, **Durante W**. Single perivascular delivery of mitomycin C stimulates p21 expression and inhibits neointima formation in rat arteries. *Arterioscler. Thromb. Vasc. Biol.* 25:2343-2348, 2005.
67. **Durante W**, FK Johnson, RA Johnson. Targeting heme oxygenase-1 in the treatment of atherosclerosis. *Drug Discovery Today: Therapeutic Strategies* 2:201-206, 2005.
68. Korthuis RJ, **Durante W**. Heme oxygenase-1: A pluripotent sentinel limiting the systemic inflammatory response to extremity ischemia and reperfusion. *Crit. Care Med.* 30:2701-2703, 2005.
69. Jiang X, Yang F, Tan H, Liao D, Jiang C, Schildmeyer L, Bryan RM Jr, Randhawa JK, Rumbaut RE, Yang XF, **Durante W**, Schafer AI, Wang H. Hyperhomocysteinemia impairs endothelial function and eNOS activity via PKC activation. *Arterioscler. Thromb. Vasc. Biol.* 25:2515-2521, 2005.
70. Johnson FK, Johnson RA, **Durante W**, Peyton KJ, Jackson KE. Metabolic syndrome increases endogenous carbon monoxide production to promote hypertension and endothelial dysfunction. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 290:R601-R608, 2006.
71. Tan H, Jiang X, Yang F, Liao D, Jiang C, Majera M, Trial J, **Durante W**, Schafer AI, Yang XF, Wang H. Hyperhomocysteinemia inhibits post-injury re-endothelialization in mice. *Cardiovasc. Res.* 69:253-262, 2006.
72. Andresen JJ, Shafi NI, **Durante W**, Bryan RM Jr. The effects of carbon monoxide and heme oxygenase inhibitors in cerebral vessels of rats and mice. *Am. J. Physiol. Heart Circ. Physiol.* 291:H223-H230, 2006.
73. Liao D, Tan H, Hui R, Li Z, Jiang X, Gaubatz J, Yang F, **Durante W**, Chan L, Schafer AI, Pownall HH, Yang XF, Wang H. Hyperhomocysteinemia decreases circulating HDL by inhibiting apoA1 protein synthesis and enhancing HDL clearance. *Circ. Res.* 99:598-606, 2006.
74. **Durante W.**, Johnson FK, Johnson RA. Role of carbon monoxide in cardiovascular function. *J. Cell. Mol. Med.* 10: 672-686, 2006.
75. Liu XM, Azam MA, Peyton KJ, Ensenat D, Keswani AN, Wang H, **Durante W**. Butylated hydroxyanisole stimulates heme oxygenase-1 gene expression and inhibits neointima formation in rat arteries. *Cardiovasc. Res.* 74:169-179, 2007.
76. Liu XM, Peyton KJ, Ensenat D, Wang H, Hannink M, Alam J, **Durante W**. Nitric oxide stimulates heme oxygenase-1 gene transcription via the Nrf2/ARE complex to promote vascular smooth muscle cell survival. *Cardiovasc. Res.* 75:381-389, 2007.
77. **Durante W.**, Johnson FK, Johnson RA. Arginase: a critical regulator of nitric oxide and vascular function. *Clin. Exp. Physiol. Pharmacol.* 34:906-911, 2007.
78. Jiang XH, Yang F, Brailoiu YF, Jakubowski H, Dun N, Schafer AI, Yang XF, **Durante W**, Wang H. Differential regulation of homocysteine transport in vascular endothelial and smooth muscle cells. *Arterioscler. Thromb. Vasc. Biol.* 27:1976-1983, 2007.
79. Md JS, Chen I, Yang F, Jiang X, Jan M, Liu X, Schafer AI, **Durante W**, Yang X, Wang

- H. Homocysteine inhibits endothelial cell growth via hypomethylation of the cyclin A gene. *Blood* 110:3648-3655, 2007.
80. Lin C-C, Liu X, Peyton KJ, Wang H, Yang W-C, Lin S-J, **Durante W**. Far infrared therapy inhibits vascular endothelial inflammation via the induction of heme oxygenase-1. *Arterioscler. Thromb. Vasc. Biol.* 28:739-745, 2008.
81. Durante W, Lin C-C. HOming in on arteriovenous fistula survival. *Kidney Int.* 73:9-11, 2008.
82. Liu XM, Peyton KJ, Wang H, Mendelev NN, Tulis DA, **Durante W**. YC-1 stimulates the expression of gaseous monoxide-generating enzymes in vascular smooth muscle cells. *Mol. Pharmacol.* 75:208-217, 2009.
83. Gaskin FS, Kamada K, Yusof M, **Durante W**, Gross G, Korthuis RJ. AICAR preconditioning prevents postischemic leukocyte rolling and adhesion: role of K_{ATP} channels and heme oxygenase. *Microcirculation* 16:167-176, 2009.
84. Brunt KR, Tsuji MR, Lai JH, Kinobe RT, **Durante W**, Claycomb WC, Ward CA, Melo LG. Heme oxygenase-1 inhibits pro-oxidant induced hypertrophy in HL-1 cardiomyocytes. *Exp. Biol. Med.* 234:582-594, 2009.
85. Peyton KJ, Ensenat D, Azam MA, Keswani AN, Kannan S, Liu XM, Wang H, Tulis DA, **Durante W**. Arginase promotes neointima formation in rat injured carotid arteries. *Arterioscler. Thromb. Vasc. Biol.* 29:488-494, 2009.
86. Jackson EB, Mukhopadhyay S, Keswani AN, Peyton KJ, Schafer AI, **Durante W**, Tulis DA. Zaprinast attenuates injury-induced vascular growth through anti-mitogenic and proapoptotic effects: comparison to YC-1. *J. Cardiovasc. Pharmacol. Therap.* 14:116-124, 2009.
87. Wei Y, Liu XM, Peyton KJ, Wang H, Johnson FK, Johnson RA, **Durante W**. Hypochlorous acid-induced heme oxygenase-1 gene expression promotes human endothelial cell survival. *Am. J. Physiol. Cell Physiol.* 297:907-915, 2009.
88. Zhang D, Jiang X, Pu F, Yan Y, Song J, Gupta S, Schafer AI, **Durante W**, Kruger WD, Yang X, Wang H. Hyperhomocysteinemia promotes inflammatory monocyte generation and accelerates atherosclerosis in transgenic CBS deficient mice. *Circulation* 120:1893-1902, 2009.
89. Chen NC, Yang F, Capecci LM, Gu Z, Schafer AI, **Durante W**, Yang XF, Wang H. Regulation of homocysteine metabolism and methylation in human and mouse tissues. *FASEB. J.* 24:2804-2817, 2010.
90. Johnson FK, **Durante W**, Stewart RM, Johnson RA. Vascular arginase contributes to arteriolar endothelial dysfunction in a rat model of hemorrhagic shock. *J. Trauma* 69:384-391, 2010.
91. Jones AW, **Durante W**, Korthuis RJ. Heme oxygenase-1 deficiency leads to decreased endothelial-dependent relaxation and to nitrate tolerance in mouse arteries. *J. Pharmacol. Exp. Ther.* 335:85-91, 2010.
92. **Durante W**. Targeting heme oxygenase-1 in vascular disease. *Curr. Drug Targets* 11:1504-1516, 2010.
93. Liu XM, Peyton KJ, Shebib AR, Wang H, Korthuis RJ, **Durante W**. Activation of AMPK stimulates heme oxygenase-1 gene expression and human endothelial cell survival. *Am. J. Physiol. Heart Circ. Physiol.* 300:H84-H93, 2011.
94. Nicholson SE, Johnson RA, Craig T, Myers JG, **Durante W**, Stewart RM, Johnson FA. Transfusion-related acute lung injury in a rat model of trauma-hemorrhage. *J. Trauma*

- 70:466-471, 2011.
95. **Durante W.** Protective role of heme oxygenase-1 against inflammation in atherosclerosis. *Front. Biosci. (Landmark Edition)* 17:2372-2388, 2011.
 96. Cheng ZJ, Jiang X, Kruger WD, Pratico D, Gupta S, Mallilankaran K, Muniswamy M, Schafer AI, **Durante W**, Yang XF, Wang H. Hyperhomocysteinemia impairs endothelium-derived hyperpolarizing factor-mediated vasorelaxation in transgenic cystathionine beta-synthase-deficient mice. *Blood* 118:1998-2006, 2011.
 97. Peyton KJ, Yu Y, Yates B, Shebib AR, Liu XM, Wang H, **Durante W**. Compound C inhibits vascular smooth muscle cell proliferation and migration in an adenosine monophosphate-activated protein kinase-independent fashion. *J. Pharmacol. Exp. Ther.* 338:476-484, 2011.
 98. Liu XM, Peyton KJ, Shebib AR, Wang H, **Durante W**. Compound C stimulates heme oxygenase-1 gene expression via the Nrf2-ARE pathway to preserve human endothelial cell survival. *Biochem. Pharmacol.* 82:371-379, 2011.
 99. Manrique C, Lastra G, Habibi J, Hayden MR, **Durante W**, Pulakat L, Ferrario CM, Whaley-Connell A, Sowers JR. Nebivolol improves insulin sensitivity in the TGR(Ren2)27 rat. *Metabolism* 60:1757-1766, 2011.
 100. Zuidema MY, Peyton KJ, Fay W, **Durante W**, Korthuis RJ. Antecedent hydrogen sulfide elicits an anti-inflammatory phenotype in post-ischemic murine small intestine: role of heme oxygenase-1. *Am. J. Physiol. Heart Circ. Physiol.* 301:H888-H94, 2011.
 101. Peyton KJ, Shebib AR, Azam MA, Liu XM, Tulis DA, **Durante W**. Bilirubin inhibits neointima formation and vascular smooth muscle cell proliferation and migration. *Front. Pharmacol.* 3:48, 2012.
 102. **Durante W**. The therapeutic potential of gaseous autacoids (editorial). *J. Autacoids* 1:1000e108, 2012.
 103. Peyton KJ, Liu XM, Yu Y, Yates B. **Durante W**. Activation of AMP-activated protein kinase inhibits the proliferation of human endothelial cells. *J. Pharmacol. Exp. Ther.* 342:827-834, 2012.
 104. Liu XM, Wang X, Peyton KJ, **Durante W**. Sildenafil stimulates the expression of gaseous monoxide-generating enzymes in vascular smooth muscle cells via distinct signaling pathways. *Biochem. Pharmacol.* 84:1045-1054, 2012.
 105. Liu XM, Peyton KJ, **Durante W**. Physiologic cyclic strain promotes endothelial cell survival via the induction of heme oxygenase-1. *Am. J. Physiol. Heart Circ. Physiol.* 304:H1634-H1643, 2013.
 106. **Durante W**. Role of arginase in vessel wall remodeling. *Front. Immunol.* 4:111, 2013.
 107. Johnson FK, Johnson RA, Peyton KJ, Shebib AR, **Durante W**. Arginase promotes skeletal muscle arteriolar endothelial dysfunction in diabetic rats. *Front. Immunol.* 4:119, 2013.
 108. Wang WZ, Jones AW, Wang M, **Durante W**, Korthuis RJ. Preconditioning with soluble guanylate cyclase activation prevents postischemic inflammation and reduces nitrate tolerance in heme oxygenase-1 knockout mice. *Am. J. Physiol. Heart Circ. Physiol.* 305:H521-H532, 2013.
 109. Chang C-F, Liu XM, Peyton KJ, **Durante W**. Heme oxygenase-1 counteracts contrast media-induced endothelial cell dysfunction. *Biochem. Pharmacol.* 87:303-311, 2014.
 110. Johnson FK, Peyton KJ, Liu XM, Shebib, AR, Johnson RA, **Durante W**. Arginase promotes endothelial dysfunction and hypertension in obese rats. *Obesity* 23:383-390, 2015.

111. **Durante W.** Bilirubin: striking gold in diabetic vasculopathy? *Diabetes* 64:1506-1508, 2015.
112. Peyton KJ, Liu XM, **Durante W.** Prolonged cyclic strain inhibits human endothelial cell proliferation. *Front. Biosci.* 8:205-212, 2016.
113. Liu XM, Durante ZE, Peyton KJ, **Durante W.** Heme oxygenase-1-derived bilirubin counteracts HIV protease inhibitor-mediated endothelial dysfunction. *Free Radic. Biol. Med.* 94:218-229, 2016.
114. Jia G, **Durante W.**, Sowers JR. Endothelium-derived hyperpolarizing factors: a potential therapeutic target of vascular dysfunction in obesity and insulin resistance. *Diabetes* 65:2118-2120, 2016.
115. **Durante W.** Targeting endoplasmic reticulum stress in hypoxia-induced cardiac injury. *Vascul. Pharmacol.* 83:1-3, 2016.
116. **Durante W.** Hydrogen sulfide therapy in diabetes-accelerated atherosclerosis: a whiff of success. *Diabetes* 65:2832-2834, 2016.
117. Bostick B, Aroor AR, Habibi J, **Durante W.**, Ma L, Demarco VG, Garro M, Hayden MR, Booth FW, Sowers JR. Daily exercise prevents diastolic dysfunction in a female model of western diet induced obesity with amelioration of myocardial oxidative stress and fibrosis with maintenance of myocardial heme oxygenase-1 levels. *Metabolism* 66:14-22, 2017.
118. Liu XM, Peyton KJ, **Durante W.** Ammonia promotes endothelial cell survival via the heme oxygenase-1-mediated release of carbon monoxide. *Free Radic. Biol. Med.* 102:37-46, 2017.
119. Dai H, Wang M, Patel P, Kalogeris T, Liu Y, **Durante W.**, Korthuis RJ. Preconditioning with the BKCa channel activator NS-1619 prevents postischemic inflammation: role of reactive oxygen species and heme oxygenase-1. *Am. J. Physiology Heart Circ Physiol.* 313:H988-H999, 2017.
120. Peyton KJ, Liu XM, Shebib AR, Johnson FK, Johnson RA, **Durante W.** Arginase inhibition prevents hypertension and improves insulin resistance in obese rats. *Amino Acids* 50:747-754, 2018.
121. Peyton KJ, Liu XM, Yajie Yu, Yates B, Behnammanesh G, **Durante W.** Glutaminase-1 stimulates the proliferation, migration, and survival of human endothelial cells. *Biochem. Pharmacol.* 156:204-214, 2018.
122. Behnammanesh G, Durante ZE, Peyton KJ, Martinez-Lemus LA, Brown SM, Bender SB, **Durante W.** Canagliflozin inhibits human endothelial cell proliferation and tube formation. *Front. Pharmacol.* 10:362, 2019.
123. **Durante W.** The emerging role of L-glutamine in cardiovascular health and disease. *Nutrients* 11 (9): 2092, 2019.
124. Sowers JR, Habibi J, Jia G, Bostick B, Manrique-Aceveda C, Lastra G, Yang Y, Chen D, Sun Z, Domeier TL, **Durante W.**, Whaley-Connell AT, Hill MA, Jassier F, DeMarco VG, Aroor A. Endothelial sodium channel activation promotes cardiac stiffness and diastolic dysfunction in western diet fed female mice. *Metabolism* 109:154223, 2020.
125. Behnammanesh G, Durante GL, Khanna YP, Peyton KJ, **Durante W.** Canagliflozin inhibits vascular smooth muscle cell proliferation and migration: role of heme oxygenase-1. *Redox Biol.* 32:101527, 2020.
126. **Durante W.** Amino acids in circulatory function and health. *Adv. Exp. Med. Biol.* 1265:39-56, 2020.
127. **Durante, W.** Targeting heme oxygenase-1 in the arterial response to injury and disease.

Book Chapters:

1. Schini VB, **Durante W**, Elizondo E, Scott-Burden T, Junquero DC, Schafer AI, Vanhoutte PM. The induction of nitric oxide synthase activity in cultured vascular smooth muscle cells exposed to interleukin-1 β is attenuated by members of the PDGF families. In: *Biology of nitric oxide. 2nd International Meeting*. Ed. Moncada S, Marletta MA, Hibbs JB Jr. (Elsevier Press, Amsterdam). pp 28-31, 1992.
2. Junquero DC, Scott-Burden T, Schini VB, **Durante W**, Schafer AI, Vanhoutte PM. Induction of nitric oxide production in human vascular smooth muscle cells by interleukin-1 β and its inhibition by transforming growth factor- β 1. In: *Biology of nitric oxide. 2nd International Meeting*. Ed. Moncada S, Marletta MA, Hibbs JB Jr. (Elsevier Press, Amsterdam). pp 336-341, 1992.
3. **Durante W**. Carbon monoxide and vascular smooth muscle cell growth. In: *Carbon monoxide and cardiovascular function*. Ed. Wang R, (CRC Press, Boca Raton, FL). pp. 45-65, 2002.
4. Liu X, Peyton KJ, **Durante W**. Heme oxygenase-1 overexpression inhibits vascular smooth muscle cell proliferation. In: *Heme oxygenase in biology and medicine*. Ed. Abraham NG, Alam J, Nath KA. (Kluwer Academic/Plenum Publishers, Hingham, MA). pp. 439-447, 2002.
5. **Durante W**. Chapter 29: Protective role of heme oxygenase-1 in atherosclerosis. In: *Atherosclerosis: Risks, Mechanisms and Novel Therapies*. Eds. Wang H. and Patterson C. (John Wiley & Sons). pp. 365-377, 2015.